



# CHECKLIST FOR COMPLIANCE WITH THE RIGHTS OF DATA SUBJECTS TO INFORMATION, DATA PORTABILITY, ERASURE AND CORRECTION UNDER THE GDPR

## NOTE

This checklist is intended to be an aid for the operators of a Swyx communication solution in connection with the General Data Protection Regulation (GDPR) to enable data controllers to satisfy the rights of data subjects as they are asserted. This checklist does not claim to be complete in terms of scope or content.

## APPLICABILITY

This checklist applies to all SwyxWare and Swyx Client versions available as of May 2018 (SwyxIt!, Swyx Desktop for macOS, Swyx Mobile for iOS/Android). Other default settings and other limitations on functionality may apply to legacy versions. Please note the following in relation to updates: Changes to software behavior do not apply retroactively, but from the time of installation!

## RIGHTS OF DATA SUBJECTS UNDER THE GDPR

Under the General Data Protection Regulation (GDPR), data subjects have the following rights in dealings with data controllers regarding the following personal data relating to the data subject:

- Right of access;
- Right to rectification or erasure;
- Right to restrict processing;
- Right to object to processing;
- Right of data portability.

They also have the right to lodge a complaint with a data protection supervisory authority regarding the processing of their personal data.

## USAGE INFORMATION

Where a data subject exercises their right to information, the necessary information is provided under the "Data" columns. Where a data subject exercises their right to rectification or erasure, please follow the instructions under the column "Rectification" or "Erasure". The rights to object to and restrict processing must be satisfied by means of manual processes. If the data subject wishes to exercise their right to data portability, please follow the instructions under the column "Export".

## SWYXWARE

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> SwyxWare change log</p> <ul style="list-style-type: none"> <li>• Name of the user that made the change</li> </ul> <p><b>PURPOSE:</b> Documentation of changes and assistance with troubleshooting</p> <p><b>STORAGE LOCATION:</b> SwyxWare Database</p>	<p>In SwyxWare Administration: Context menu for the corresponding time period   "Export List..."   Set save location The file can be saved as a tab-separated or comma-separated values file as desired</p>	<p>In SwyxWare Administration: SwyxWare Administration   Mark the desired time period and select "Delete" in the context menu</p>	<p>Not permitted! Violates the integrity and confidentiality of the data</p>
<input type="checkbox"/>	<p><b>DATA:</b> Run protocols for SwyxWare services</p> <p><b>PURPOSE:</b> Assistance with troubleshooting</p> <p><b>STORAGE LOCATION:</b> On Windows Server: • C:\ProgramData\Swyx\Traces • C:\ProgramData\Swyx\MemoryDumps or • C:\ProgramData\T-Com\Traces • C:\ProgramData\T-Com\MemoryDumps</p>	<p>Open corresponding folder in Windows Explorer, open .log files and copy desired content into file</p>	<p>Data is deleted automatically after seven days by default. TraceTool can be used to manually delete data (e.g. older data that was already present before automatic deletion was enabled).</p>	<p>Not permitted! Violates the integrity and confidentiality of the data</p>
<input type="checkbox"/>	<p><b>DATA:</b> Run protocol for PushNotification service</p> <p><b>PURPOSE:</b> Assistance with troubleshooting</p> <p><b>STORAGE LOCATION:</b> On Windows Server: • C:\ProgramData\Swyx\Traces or • C:\ProgramData\T-Com\Traces</p>	<p>Open corresponding folder in Windows Explorer, open .log files and copy desired content into file</p>	<p>Data is deleted automatically after seven days by default. TraceTool can be used to manually delete data (e.g. older data that was already present before automatic deletion was enabled).</p>	<p>Not permitted! Violates the integrity and confidentiality of the data</p>

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> User/administrator accounts and user account details</p> <ul style="list-style-type: none"> <li>• Real name of user</li> <li>• User name</li> <li>• User telephone numbers</li> <li>• User email address(es)</li> <li>• User passwords</li> </ul>	<p>Note: For reasons of data protection, it is not possible to export sensitive data or data entered by the user!</p>	<p>SwyxWare Administration: Select SwyxServer   Select "User" folder   Right-click on corresponding user or administrator name "Delete"</p>	<p>SwyxWare Administration: Select SwyxServer   Select "User" folder   Double-click on corresponding user or administrator name   Click on "Administration"   Click "Authentication" tab</p>
	<p><b>PURPOSE:</b> Use of software</p>			
	<p><b>STORAGE LOCATION:</b> SwyxWare Database</p>			
<input type="checkbox"/>	<p><b>DATA:</b> Personal phone book</p> <ul style="list-style-type: none"> <li>• Contact name</li> <li>• Contact telephone number</li> </ul>	<p>SwyxWare Administration: Select SwyxServer   Select "User" folder   Open context menu of desired user   Click on "Phone book   Export..."   Execute Export Wizard   Save as *.CSV file.</p>	<p>SwyxWare Administration: Open SwyxServer   Right-click on desired user   Click on "Phone book   Open..."   Click on "Personal Phone book"   Right-click on desired entry   Click on "Delete Entry"   Confirm query with "Yes"</p>	<p>Done by the users themselves in the configuration menu of their phone book in Swyxlt! Client</p>
	<p><b>PURPOSE:</b> Use of software</p>			
	<p><b>STORAGE LOCATION:</b> SwyxWare Database</p>			
<input type="checkbox"/>	<p><b>DATA:</b> SwyxFax Server fax forwarding</p> <ul style="list-style-type: none"> <li>• Internal number</li> <li>• Public number</li> <li>• Real name of user</li> <li>• User email address</li> </ul>	<p>Note: For reasons of data protection, it is not possible to export sender data and fax documents!</p> <ul style="list-style-type: none"> <li>• SwyxWare Administration: Exporting forwarded faxes: Select SwyxServer   Select "SwyxFax" folder   Right-click "Forwarding Overview"   Select "Export List..."   Save as "*.txt" file</li> </ul>	<p>SwyxWare Administration: Open SwyxServer   Click on "SwyxFax   Forwarding Overview"   Right-click on desired entry   Click on "Properties"   Mark desired entry in "Internal Number" section   Click on "Delete"   Mark desired entry under "Number mappings"   Click on "Remove"   Click on "OK"</p>	<p>Done by the users themselves in the fax forwarding configuration menu in the SwyxFax Client</p>
	<p><b>PURPOSE:</b> Overview of forwarded faxes of SwyxWare users</p>			
	<p><b>STORAGE LOCATION:</b> SwyxWare Database</p>			

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> Fax documents &amp; configuration files</p> <ul style="list-style-type: none"> <li>• User name and numbers (internal, fax)</li> <li>• Address (business)</li> <li>• User email address</li> <li>• User department</li> <li>• Forwarded faxes</li> </ul> <p><b>PURPOSE:</b></p> <ul style="list-style-type: none"> <li>• Use of software</li> <li>• Overview of forwarded faxes of SwyxWare users for the administrator</li> </ul> <p><b>STORAGE LOCATION:</b></p> <ul style="list-style-type: none"> <li>• Configuration data: SwyxWare Database</li> <li>• Fax documents: SwyxWare Database or local server HDD</li> </ul>	<p>Note: For reasons of data protection, it is not possible for the administrator to export sender data or fax documents!</p> <p>SwyxWare Administration:</p> <ul style="list-style-type: none"> <li>• Export function for users – SwyxFax Client: Fax document folder   Click on corresponding entry   Right-click “Export”</li> <li>• SwyxWare Administration - Exporting forwarded faxes: Select SwyxServer   Select “SwyxFax” folder   Right-click “Forwarding Overview”   Select “Export List...”   Save as “*.txt” file</li> </ul>	<ul style="list-style-type: none"> <li>• SwyxWare Administration - Deleting sender information: Select SwyxServer   Select “User” folder   Double-click on corresponding user name   “Settings” tab   Fax Client...   “Sender” tab   Delete corresponding fields</li> <li>• SwyxWare Administration - Deleting fax documents: Select SwyxServer   Select “SwyxFax” folder   Active faxes and stored fax documents for the user on the selected SwyxServer   Right-click “Delete”</li> <li>• Export function for users – SwyxFax Client: Fax document folder   Click on corresponding entry   Right-click “Delete”</li> </ul>	<p>Note: It is not possible to correct fax documents!</p> <ul style="list-style-type: none"> <li>• Correction of sender data – SwyxWare Administration: Select SwyxServer   Select “User” folder   Double-click on corresponding user name   Fax Client...   “Sender” tab   Delete corresponding fields</li> </ul>
<input type="checkbox"/>	<p><b>DATA:</b> Call detail record (CDR)</p> <ul style="list-style-type: none"> <li>• Originating caller name and number</li> <li>• Destination caller name and number (may be anonymized where appropriate)</li> <li>• Name and number of the person who actually accepted the call (may be anonymized depending on user-defined selection)</li> </ul> <p><b>PURPOSE:</b></p> <ul style="list-style-type: none"> <li>• Billing purposes</li> <li>• Assistance with troubleshooting</li> </ul> <p><b>STORAGE LOCATION:</b> Either</p> <ul style="list-style-type: none"> <li>• SwyxWare CDR Database or</li> <li>• Directory defined by user as text file</li> </ul>	<p>Note: If you select the database as the storage location, it is your responsibility to observe applicable statutory regulations, as we are not in a position to influence database hosting.</p> <p>SwyxWare Administration   Select SwyxServer   Open properties   “Call Detail Records” tab   Activate “Call Detail Records into Text File” checkbox</p>	<p>Note: If you select the database as the storage location, it is your responsibility to observe applicable statutory regulations, as we are not in a position to influence database hosting.</p> <p>Note: When activating automatic deletion mechanisms, all data prior to the time of activation will need to be deleted manually!</p> <ul style="list-style-type: none"> <li>• From the user-defined folder: Automatically after 7 days or after user-defined time, define time under SwyxServer properties   “Call Detail Records” tab</li> </ul>	<p>Not permitted! Violates the integrity and confidentiality of the data</p>

## SWYXON

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> SwyxON Web Portal change log</p> <ul style="list-style-type: none"> <li>• Name of the user that made the change</li> </ul>	Individual UC tenants and RMS: SwyxON Web Portal   "UC Tenant" menu   Change log   UC tenant or "RMS"   Click on "Export"	Will be deleted from the system automatically after 3 months	Not permitted! Violates the integrity and confidentiality of the data
	<p><b>PURPOSE:</b> Documentation of changes and assistance with troubleshooting</p>			
	<p><b>STORAGE LOCATION:</b> SwyxON database</p>			
<input type="checkbox"/>	<p><b>DATA:</b> Run protocols for SwyxWare services</p>	Launch Remote Admin Connector   Connect to corresponding UC tenant   Select "Download Trace Files" in widget	Data is deleted automatically after seven days by default. Data can be deleted manually (e.g. with older databases after an update) using TraceTool.	Not permitted! Violates the integrity and confidentiality of the data
	<p><b>PURPOSE:</b> Assistance with troubleshooting</p>			
	<p><b>STORAGE LOCATION:</b> SwyxON Server</p>			
<input type="checkbox"/>	<p><b>DATA:</b> Run protocol for PushNotification service</p>	Launch Remote Admin Connector   Connect to corresponding UC tenant   Select "Download Trace Files" in widget	Data is deleted automatically after seven days by default. Data can be deleted manually (e.g. with older databases after an update) using TraceTool.	Not permitted! Violates the integrity and confidentiality of the data
	<p><b>PURPOSE:</b> Assistance with troubleshooting</p>			
	<p><b>STORAGE LOCATION:</b> SwyxON Server</p>			

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<b>DATA:</b> User/administrator accounts and user account details <ul style="list-style-type: none"> <li>• Real name of user</li> <li>• User name</li> <li>• User telephone numbers</li> <li>• User email address(es)</li> <li>• User passwords</li> </ul>	For reasons of data protection, it is not possible to export sensitive data or data entered by the user.	SwyxON Web Portal administrators: Web Portal   "Platform" or "Partner" menu   Select relevant partner as appropriate   Select "Administrators" in menu   Select corresponding user   "Delete"	SwyxON Web Portal administrators: Web Portal   "Platform" or "Partner" menu   Select relevant partner as appropriate   Select "Administrators" in menu   Select corresponding user   "Edit"
	<b>PURPOSE:</b> Use of software			
	<b>STORAGE LOCATION:</b> SwyxWare Database			
<input type="checkbox"/>	<b>DATA:</b> SwyxON Web Portal reporting emails <ul style="list-style-type: none"> <li>• Company address</li> </ul>	SwyxON Web Portal   "Partner   Reporting" menu   Click on "Create New Report" (report will be sent as email attachment to service provider)	<ul style="list-style-type: none"> <li>• Will be deleted from the system automatically after 3 months</li> <li>• Please ensure that deletion has been performed in the email account of the service provider</li> </ul>	Not permitted! Violates the integrity and confidentiality of the data
	<b>PURPOSE:</b> Billing for usage			
	<b>STORAGE LOCATION:</b> SwyxON database			
<input type="checkbox"/>	<b>DATA:</b> Personal phone book <ul style="list-style-type: none"> <li>• Contact name</li> <li>• Contact telephone number</li> </ul>	SwyxON Administration: Select SwyxServer   Select "User" folder   Open context menu of desired user   Click on "Phone book   Export..."   Execute Export Wizard   Save as *.CSV file.	SwyxON Administration: Open SwyxServer   Right-click on desired user   Click on "Phone book   Open..."   Click on "Personal Phone book"   Right-click on desired entry   Click on "Delete Entry"   Confirm query with "Yes"	Done by the users themselves in the configuration menu of their phone book in SwyxIt!
	<b>PURPOSE:</b> Use of software			
	<b>STORAGE LOCATION:</b> SwyxON database			

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> Fax documents &amp; configuration files</p> <ul style="list-style-type: none"> <li>• User name and numbers (internal, fax)</li> <li>• Address (business)</li> <li>• User email address</li> <li>• User department</li> <li>• Forwarded faxes</li> </ul>	<p>Note: For reasons of data protection, it is not possible to export sender data and fax documents!</p> <ul style="list-style-type: none"> <li>• Export function for users - SwyxFax Client: Fax document folder   Click on corresponding entry   Right-click "Export"</li> <li>• SwyxON Administration - Exporting forwarded faxes: Exporting forwarded faxes Select SwyxServer   Select "SwyxFax" folder   Right-click "Forwarding Overview"   Select "Export List..."   Save as "*.txt" file</li> </ul>	<ul style="list-style-type: none"> <li>• SwyxON Administration - Deleting sender information: Select SwyxServer   Select "User" folder   Double-click on corresponding user name   "Settings" tab   Fax client...   "Sender" tab   Delete corresponding fields</li> <li>• SwyxON Administration - Deleting fax documents: Select SwyxServer   Select "SwyxFax" folder   Active faxes and stored fax documents for the user on the selected SwyxServer   Right-click "Delete"</li> <li>• Export function for users - SwyxFax Client: Fax document folder   Click on corresponding entry   Right-click "Delete"</li> </ul>	<p>Note: It is not possible to correct fax documents!</p> <ul style="list-style-type: none"> <li>• Correction of sender data - SwyxON Administration: Select SwyxServer   Select "User" folder   Double-click on corresponding user name   Fax Client...   "Sender" tab   Delete corresponding fields</li> </ul>
	<p><b>PURPOSE:</b></p> <ul style="list-style-type: none"> <li>• Use of software</li> <li>• Overview of forwarded faxes of SwyxON users for the administrator</li> </ul>			
	<p><b>STORAGE LOCATION:</b> SwyxON database</p>			
<input type="checkbox"/>	<p><b>DATA:</b> SwyxFax Server fax forwarding</p> <ul style="list-style-type: none"> <li>• Internal number</li> <li>• Public number</li> <li>• Real name of user</li> <li>• User email address</li> </ul>	<p>Note: For reasons of data protection, it is not possible to export sender data and fax documents!</p> <ul style="list-style-type: none"> <li>• SwyxON Administration: Exporting forwarded faxes Select SwyxServer   Select "SwyxFax" folder   Right-click "Forwarding Overview"   Select "Export List..."   Save as "*.txt" file</li> </ul>	<p>SwyxON Administration: Open SwyxServer   Click on "SwyxFax   Forwarding Overview"   Right-click on desired entry   Click on "Properties"   Mark desired entry in "Internal Number" section   Click on "Delete"   Mark desired entry under "Number mapping"   Click on "Remove"   Click on "OK"</p>	<p>Done by the users themselves in the fax forwarding configuration menu in the SwyxFax Client</p>
	<p><b>PURPOSE:</b> Overview of forwarded faxes of SwyxON users</p>			
	<p><b>STORAGE LOCATION:</b> SwyxON database</p>			

## SWYX CLIENTS

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> Swyx clients (SwyxIt!, Swyx Desktop for macOS, Swyx Mobile for iOS/Android) call journal and events</p> <ul style="list-style-type: none"> <li>• Contact/recipient telephone number</li> <li>• Contact/recipient name</li> </ul>	<p>Call journal:</p> <ul style="list-style-type: none"> <li>• For SwyxWare administrators: Copy call journal &amp; entries manually from the database using export command</li> <li>• For SwyxON administrators: Please contact Support</li> </ul>	<p>Call journal:</p> <ul style="list-style-type: none"> <li>• SwyxIt!: On the user's local system: Open SwyxIt!   Click on "Call Journal"   Right-click desired entry   Click on "Delete Entry" or click on "Delete List" to clear the entire call journal.</li> <li>• macOS: Context menu - Delete all displayed events</li> <li>• iOS: Edit - "Delete all"</li> <li>• Android: Long-press - Select all - "Delete" symbol</li> </ul>	<p>Not permitted! Violates the integrity and confidentiality of the data</p>
<input type="checkbox"/>	<p><b>PURPOSE:</b> Use of software</p>	<p>For calls recorded using SwyxIt!:</p> <ul style="list-style-type: none"> <li>• On the user's local system: Export from SwyxIt!: Open SwyxIt!   Click on "Call Journal"   Select tab "Recorded Conversations"   Click on "Next   Export"   Follow the export wizard. The recordings will be saved as WAV files.</li> </ul>	<p>For calls recorded using SwyxIt!:</p> <ul style="list-style-type: none"> <li>• On the user's local system: Delete the relevant WAV file</li> </ul>	
<input type="checkbox"/>	<p><b>STORAGE LOCATION:</b></p> <ul style="list-style-type: none"> <li>• SwyxWare Database</li> <li>• On the relevant device</li> </ul>			
<input type="checkbox"/>	<p><b>DATA:</b> User image in Swyx clients (SwyxIt!, Swyx Desktop for macOS, Swyx Mobile for iOS/Android)</p>	<ul style="list-style-type: none"> <li>• For SwyxWare administrators: Export from SwyxWare Database</li> <li>• For SwyxON administrators: Please contact Support</li> </ul>	<ul style="list-style-type: none"> <li>• For SwyxWare administrators: Delete from SwyxWare Database</li> <li>• For SwyxON administrators: Please contact Support</li> </ul>	<p>Done by the users themselves in the configuration menu of the relevant Swyx client</p>
<input type="checkbox"/>	<p><b>PURPOSE:</b> Software personalization</p>			
<input type="checkbox"/>	<p><b>STORAGE LOCATION:</b></p> <ul style="list-style-type: none"> <li>• SwyxWare Database</li> <li>• From the user-defined folder</li> </ul>			



DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> Favorites in Swyx clients (Swyx Desktop for macOS, Swyx Mobile for iOS/Android)</p> <ul style="list-style-type: none"> <li>• Real name of user</li> <li>• Various user numbers</li> <li>• Various user email addresses</li> </ul> <p><b>PURPOSE:</b> Storage of frequently used numbers</p> <p><b>STORAGE LOCATION:</b></p> <ul style="list-style-type: none"> <li>• SwyxWare Database</li> <li>• Locally on the smartphone</li> <li>• Xing contact details within the app</li> </ul>	<p>The favorites synchronized by SwyxServer for the Swyx contacts can be exported from the SwyxWare Database. Local contact details and Xing contacts remain on the device.</p>	<ul style="list-style-type: none"> <li>• For SwyxWare administrators: With a corresponding SQL DELETE command in the SwyxWare Database</li> <li>• For SwyxON administrators: Please contact Support</li> <li>• For the user of the relevant Swyx client: In the menu of the relevant client</li> </ul>	<p>Only by the user of the relevant Swyx client</p>
<input type="checkbox"/>	<p><b>DATA:</b> SwyxFax Client address book (personal address book)</p> <ul style="list-style-type: none"> <li>• User company</li> <li>• Real name of user</li> <li>• User fax numbers</li> <li>• User email address</li> <li>• User telephone numbers (business: internal, possibly private, possibly mobile, possibly private: landline, mobile)</li> <li>• User department</li> <li>• User address</li> </ul> <p><b>PURPOSE:</b> Use of software</p> <p><b>STORAGE LOCATION:</b> Default setting: "C:\Users\[User]\AppData\Roaming\Swyx\SwyxFax Client\private.dta"; storage location can be customized under the menu "Extras   Options   General".</p>	<p>On the user's local system: "C:\Users\[User]\AppData\Roaming\Swyx\SwyxFax Client\private.dta"; storage location can be customized under the menu "Extras   Options   General".</p>	<p>On the user's local system: Open SwyxFax Client   Click on "Quick Fax" icon   "General" tab   Click on "Address Book" in the "Send Fax" window   Select entry   Click on "Delete"   Click on "OK"</p>	<p>On the user's local system: Open SwyxFax Client   Click on "Quick Fax" icon   "General" tab   Click on "Address Book" in the "Send Fax" window   Select entry   Make changes   Click on "Change"   Click on "OK"</p>

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<p><b>DATA:</b> Xing contacts in Swyx clients (Swyx Desktop for macOS, Swyx Mobile for iOS/Android)</p> <ul style="list-style-type: none"> <li>• Real name of user</li> <li>• User telephone number</li> <li>• User email address</li> </ul>	<ul style="list-style-type: none"> <li>• Export not possible from app storage, as it is not possible to access it</li> <li>• Cannot be exported from the server, as Xing contacts cannot be exported with SwyxServer</li> </ul>	<p>No access for the administrator. The user can delete the data themselves from their device</p>	<p>Data can only be modified at the source through Xing</p>
	<p><b>PURPOSE:</b> Integration of Xing contacts</p>			
	<p><b>STORAGE LOCATION:</b> In the app storage of the device</p>			
<input type="checkbox"/>	<p><b>DATA:</b> Swyx Outlook add-in Phone Dialer cache</p>	<p>Enter "%Temp%" in Windows Explorer address bar   Select "Swyx" folder   Open corresponding .log files and copy desired content into file</p>	<ul style="list-style-type: none"> <li>• Enter "%Temp%" in Windows Explorer address bar   Select "Swyx" folder   Delete corresponding .log files</li> </ul> <p>Deletion only recommended if application is no longer being used</p>	<p>Correction is performed automatically when corresponding contact details are amended in Outlook</p>
	<p><b>PURPOSE:</b> Faster access to contact details</p>			
	<p><b>STORAGE LOCATION:</b> On the client PC:</p> <ul style="list-style-type: none"> <li>• Outlook</li> <li>• User's temp directory</li> </ul>			
<input type="checkbox"/>	<p><b>DATA:</b> User-specific telephone data (call journal) in SwyxPhones</p>	<p>Export from SwyxWare Database, as the data is synchronized there</p>	<p>Reset telephone to factory settings</p>	<p>Can only be done by user</p>
	<p><b>PURPOSE:</b> Use of SwyxPhones</p>			
	<p><b>STORAGE LOCATION:</b> Internal device storage and SwyxWare Database</p>			

DONE	DATA	EXPORT	ERASURE	RECTIFICATION
<input type="checkbox"/>	<b>DATA:</b> User-specific telephone data in DECT end devices	Export not possible for technical reasons	In the menu of the DECT end device	In the menu of the DECT end device
	<b>PURPOSE:</b> Usage of DECT end devices			
	<b>STORAGE LOCATION:</b> Internal device storage			
<input type="checkbox"/>	<b>DATA:</b> Swyxlt! name buttons • Contact name • Contact number	"File" in Swyxlt! Menu   Name/shortcut keys   Export	Swyxlt!: Import empty *.key file or delete individual entries manually	Overwrite data manually in Swyxlt! or add other contacts. Contact information is managed centrally in the phone book
	<b>PURPOSE:</b> Use of software			
	<b>STORAGE LOCATION:</b> SwyxWare Database			